

## HEALTH, SAFETY, ENVIRONMENT and QUALITY

# CERTIFICATION













































ISO 14001:2015

SELO

AS9100D

EN ISO 3834-2

EN ISO 1090-2

TSSA

PED

ASME

NB/R

# MANUFACTURING CAPABILITIES METALLURGY & STANDARDS

#### **MATERIALS GRADES**

#### A234 WPB, A420 WPL6, SA105, A672 GrC70, API 5L B, API 5L X65, P235GH, P250GH, CS & LTCS P265GH, P355NH, SA 350 LF1 & LF2, SA106 GrB & GrC, SA333 Gr6, SA516 Gr60 & Gr70, SA671 CC60, CVN down to @ -58 C FINE 16Mo3, 15Mo3 **GRAIN STEEL** LOW ALLOY SA335 P11, SA335 P22, SA335 P23, 13CrMo4-5, 10CrMo9-10, 15NiCuMoNb5-6-4 **STEELS** SA335 P5, SA335 P9, SA335 P91, SA335 P92, X10CrMoVNb9-1, X10CrWMoVNb9-2, **ALLOY STEELS** WB36 A790 UNS31803 (Duplex ), SA312 S31254, SA312 TP304 / 304L, SA312 TP304H, SA312 TP316 / 316L, SA312 TP316H, TP316Ti, SA312 TP317 / TP317L, SA312 TP321, STAINLESS SA312 TP321 H, SA312 TP347/ 347H, 6Mo Super Austenitic, CVN down to @ -196C STEELS X5CrNi18-10, X5CrNiMoTi19-11-2, X6CrNiMoTi17-12-2, X6CrNiTi18-10 NICKEL INCOLOY® Alloy 825, INCONEL® Nickel-, Chromium Alloy 625, ALLOY 20 UNS, N08020 INCOLOY® Alloy, 800HT®, MONEL® Nickel-, Copper Alloy 400, INCONEL Alloy C-276 **ALLOYS** SB 862 UNS SB 862 UNS, R50400, (Titanium), Aluminum

#### PRODUCTION FLOW





















**PASSIVATION** 











CS/ALLOY
























#### 4 Different Components

- 4 Bolted Clamps
- Single Bolted Clamps
- Hubs
- Seals

- One Bolted Clamp: ¾" 3" (DN20 DN80)
- Four Bolted Clamp:  $2^{\frac{1}{2}}$  4" (DN65 DN100)



# LABORATORY AND MEASUREMENT










- Constructed for the purpose of materials' internal verification
- Equipped with calibrated and well maintained testing facilities
- Engineers and operators trained and accredited by vendor and third party certifier
- Fully capable of all relevant tests for material verification
- Faro Vantage-E technology allows Cimtas Ningbo's large welded products to achieve less than 0.1 mm tolerance, deliver quick, simple and precise measuring solutions.









ÇİMTAŞ MODULE & SHIPYARD



12,000 sqm ≥ 11,400 sqm 6 430,000 Output hours



#### **OUR MISSION**

To deliver **high quality** engineering, procurement, welded fabrication, assembly and installation services, **safely**, **on time** and at the **least total cost** of each customer.

#### **OUR VISION**

To be the **best-in-class** and **preferred** partner for the engineered and **integrated** solutions of the demanding construction projects.

### **OUR VALUES**

Safety, competency, development & leadership of our employees

Satisfaction of our customers through operational excellence & flexibility

Effective use of advanced technology & information

Identification and roll-out of best practices & lessons learned

Being innovative in everything we do & willingness to change

Being ethically, environmentally & socially responsible

